

ARL-1206URC-80mcd

FEATURES

- Package in 8mm tape on 7" diameter reel
- Compatible with automatic placement equipment
- Compatible with infrared and vapor phase reflow solder process
- Mono-color type
- Pb-free



DESCRIPTIONS

- The 0603 SMD LED is much smaller than lead frame type components thus enable smaller board size, higher packing density, reduced storage space and finally smaller equipment to be obtained
- Besides, lightweight makes them ideal for miniature applications. etc

APPLICATIONS

- Automotive: backlighting in dashboard and switch
- and backlighting in telephone and fax
- Flat backlight for LCD, switch and symbol
- Telecommunication: indicator
- General use


USAGE NOTES

- The ultra bright LED is an electrostatic insensitive device, so static electricity and surge will damage the LED. It is required to wear a wrist-band when handling the LED. All device, equipment, machinery, desk and ground must be properly grounded
- When using LED, it must use a protective resistor in series with DC current about 20mA

Device Selection Guide

LED Part No.		Lens Color	
	Material	Emitted Color	Letis Coloi
ARL-1206URC-80mcd	AlGaInP	Red	Water clear

PACKAGE DIMENSIONS



NOTES

- Other dimensions are in millimeters, tolerance is 0.25mm except being specified.
- Protruded resin under flange is 1.5mm Max LED.
- Bare copper alloy is exposed at tie-bar portion after cutting.

Absolute Maximum Rating (Ta=25°C)

the state of the s							
Parameter	Symbol	Absolute Maximum Rating	Unit				
Forward Pulse Current	I _{FPM}	100	mA				
Forward Current	I _{FM}	I _{FM} 30					
Reverse Voltage	V_R	5	V				
Power Dissipation	P _D	P _D 140					
Operating Temperature	Topr	-40 ~+80	°C				
Storage Temperature	Tstg	-40 ~+100	°C				
Soldering Heat (5s)	Tsol	260	°C				


Electro-Optical Characteristics (Ta=25 °C)


Parameter	Symbol	Min.	Тур.	Max.	Unit	Test Condition
Luminous Intensity	lv	40		80	mcd	IF=20mA
Viewing Angle	2θ _{1/2}	120		140	Deg	(Note 1)
Peak Emission Wavelength	λр	620	630	635	nm	IF=20mA
Spectral Line Half-Width	Δλ	15	20	25	nm	IF=20mA
Forward Voltage	V _F	1.9		2.3	V	IF=20mA
Reverse Current	I _R			10	μΑ	VR=5V


Note:


- Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve.
- θ 1/2 is the off-axis angle at which the luminous intensity is half the axial luminous intensity.

TYPICAL ELECTRO-OPTICAL CHARACTERISTICS CURVES











Forward Current VS.Ambient Temp.



Radiation Characteristics



PRECAUTIONS FOR USE

1. Over-current-proof

Customer must apply resistors for protection, otherwise slight voltage shift will cause big Current change(Burn out will happen)

2. Storage

- 2.1 Do not open moisture proof bag before the products are ready to use
- 2.2 Before opening the package, the LEDs should be kept at 30°C or less and 90%RH or less
- 2.3 The LEDs should be used within a year
- 2.4 After opening the package, the LEDs should be kept at 30°C or less 70%RH or less
- 2.5 The LEDs should be used within 168 hours(7 days)after opening the package
- 2.6 If the moisture absorbent material(silica gel)has faded away or the LEDs have exceeded the Storage time, baking treatment should be performed using the following conditions Baking treatment:60±5°C for 24 hours

3. Soldering Condition

- 3.1 Pb-free solder temperature profile
- 3.2 Reflow soldering should not be done more than two times
- 3.3 When soldering, do not put stress on the LEDs during heating
- 3.2 After soldering, do not warp the circuit board

4. Soldering Iron

Each terminal is to go to the tip of soldering iron temperature less than 280°C for 3 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder

5. Repairing

Repair should not be done after the LEDs have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether

5.1 the characteristics of the LEDs will or will not be damaged by repairing

